

# **Spa Foam Stop**

SDS Number: 293 Revision Date: 5/17/2015

Page 1 of 7

#### 4

### PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

BIO-DEX LABORATORIES, LLC 4212 W. INNOVATION DR. PHOENIX, AZ 85086

**Contact:** BIO-DEX LABORATORIES, LLC **Phone:** 800-617-3477 // 623-582-2400

Web: www.bio-dex.com

Product Name: Spa Foam Stop
Revision Date: 5/17/2015
Version: 1.00
SDS Number: 293

CAS Number: 293
CAS Number: MIXTURE
Chemical Family: Defoamer

Chemical Formula: \*\*\* PROPRIETARY \*\*\*

Product Use: Foam Control Solution for Spas
Emergency Phone: (800) 424-9300 (CHEMTREC)

## 2


### HAZARDS IDENTIFICATION

## NFPA: HMIS III:



Health = 0, Fire = 1, Reactivity = 0 H0/F1/PH0

HMIS III		
HEALTH		0
FLAMMABILITY		1
PHYSICAL HAZARDS		0
PERSONAL PROTECTION A   Safety Glasses		



### **GHS Precautionary Statements:**

P262 - Do not get in eyes, on skin, or on clothing.

P264 - Wash skin thoroughly after handling.

P302+352 - IF ON SKIN: Wash with soap and water.

P305+351+338 - IF IN EYES: Rinse continuously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing.

P332+313 - If skin irritation occurs: Get medical advice/attention.

P337+313 - If eve irritation persists: Get medical advice/attention.

P362 - Take off contaminated clothing and wash before reuse.



# **Spa Foam Stop**

SDS Number: 293 Revision Date: 5/17/2015

Page 2 of 7

P405 - Store locked up.

P501 - Dispose of contents/container to an approved waste disposal plant.

# 3 COM

## **COMPOSITION/INFORMATION ON INGREDIENTS**

Ingredients:

Cas # | Percentage | Chemical Name

N/A | 100% | Proprietary, non-hazardous, non-regulated

4 FIRST AID MEASURES

**Inhalation:** Give oxygen or artificial respiration if needed. If symptoms develop, move victim to fresh air. If symptoms

persist, obtain medical attention.

**Skin Contact:** Promptly flush skin with water for at least 15 minutes to ensure all chemical is removed. Remove

contaminated clothing and wash before reuse. If reddening develops and/or persists, obtain medical

attention.

**Eye Contact:** Flush with large amounts of water for at least 15 minutes, lifting upper and lower lids occasionally. Remove

contact lenses is present and easy to do so. If eye irritation persists, obtain medical attention.

**Ingestion:** Rinse mouth with water. Do NOT induce vomiting unless instructed to do so. Give 3-4 glasses of water or

milk to dilute stomach contents. Never give anything by mouth to an unconscious person. If symptoms

develop and/or persist, obtain medical attention.

Most important symptoms and effects, both acute and delayed:

The most important known symptoms and effects are described in the labelling (see Section 2) and/or Section 11.

Indication of any immediate medical attention and special treatment needed:

No data available.

### 5 FIRE FIGHTING MEASURES

Flammability: No data available Flash Point: > 101.1 °C (214 °F)

Flash Point Method: (TCC)

Burning Rate:

Autoignition Temp:

LEL:

No data available

**Extinguishing Media:** 

Water Spray
Water Fog
Carbon Dioxide
Alcohol-Resistant Foam
Dry Chemical

### **Special Hazards Arising From the Substance or Mixture:**

Carbon Oxides



# **Spa Foam Stop**

SDS Number: 293 Revision Date: 5/17/2015

Page 3 of 7

Formaldehyde Silicon Oxides

## Advice for Firefighters:

Firefighters should wear full-face, positive-pressure respirators.

#### **Further Information:**

If incinerated, may release toxic fumes.

Use water spray to cool unopened containers.

See Section 7 for more information on safe handling.

See Section 8 for more information on personal protection equipment.

See Section 13 for disposal information.

### 6

### **ACCIDENTAL RELEASE MEASURES**

## Personal Precautions, Protective Equipment and Emergency Procedures:

Use personal protective equipment.

Keep from contacting skin or eyes.

Avoid breathing vapors, mist or gas.

Ensure adequate ventilation.

Evacuate personnel to safe areas.

Take care to avoid slippage.

#### **Environmental Precautions:**

Prevent further release (leakage/spillage) if safe to do so.

# Methods and Materials for Containments and Cleaning Up:

Absorb with liquid-binding material (sand, diatomite, universal binders, sawdust).

Place contaminated material into suitable, closed containers for disposal.

Dispose of contaminated material according to Section 13.

After spillage has been collected, area may be flushed with water or wet-brushed.

Ensure adequate ventilation.

#### Reference to Other Sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for information on proper disposal.

### HANDLING AND STORAGE

**Handling Precautions:** Avoid contact with eyes, skin, or clothing.

Keep containers closed when not in use.

Do not expose containers to open flame, excessive heat, or direct sunlight.

Do not smoke, eat or drink when using this product.

Do not puncture or drop containers.

Handle with care and avoid spillage on the floor.

Keep material out of reach of children.

Keep material away from incompatible materials.

Wash thoroughly after handling. Ensure adequate ventilation.

**Storage Requirements:** Keep container tightly closed.

Do not store in direct sunlight.



# **Spa Foam Stop**

SDS Number: 293 Revision Date: 5/17/2015

Page 4 of 7

Store away from strong acids, strong bases and strong oxidizing agents.

# 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering Controls: All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use

local exhaust at filling zones and where leakage and dust formation is probable. Use

mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to

keep Exposure Limits in Air below TLV & PEL limits.

Personal Protective Equip: Eye/face protection:

When using material use safety glasses according to HMIS PP, A. All safety equipment should be tested and approved under appropriate government standards such as NIOSH (US)

or EN 166 (EU).

Skin protection:

Not required. If desired, handle with gloves made from Neoprene, Nitrile or Buma rubber. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact. Dispose of contaminated gloves according to

applicable laws and laboratory practices.

**Body Protection:** 

Chemically resistant safety glasses are recommended. Type of protective equipment should be selected based on concentration amount and conditions of use of this material.

Respiratory protection:

Full-face vapor respirator may be required as backup to engineering controls when proper engineering controls are not in place to keep TLV and PEL limits below defined thresholds.

Respiratory protection must comply with 29 CFR 1910.134.

Control of environmental exposure:

Prevent leakage or spillage if safe to do so. Do not let material enter drains.

## Components with workplace control parameters:

Contains no substances with occupational exposure limit values.

#### Biological occupational exposure limits:

Contains no substances with biological occupational exposure limit values.



# **Spa Foam Stop**

SDS Number: 293 Revision Date: 5/17/2015

Page 5 of 7

## 9

## PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Off-white liquid

Physical State: Liquid Odor: Slight **Odor Threshold:** Not determined Molecular Formula: **MIXTURE Particle Size:** Not determined Solubility: Not determined Spec Grav./Density: 1.000 g/ml (8.35 lbs/gal) **Softening Point:** Not determined 2,500 cSt Viscosity: **Percent Volatile:** Not determined Sat. Vap. Conc.: Not determined **Heat Value:** Not determined **Boiling Point:** > 35 °C (95 °F) Freezing/Melting Pt.: Not determined

Flammability: (solid, gas): Not determined

Flash Point: > 100.0 °C (212 °F)

Partition Coefficient: Not determined

Octanol: Not determined

Vapor Pressure: (mm Hg @ 25 °C): Not determined Vapor Density: (air = 1): Not determined

pH: @ 100%: Not determined VOC: DNA

Evap. Rate: (N-Butyl Acetate = 1): Not determined Bulk Density: Not determined

Molecular weight: MIXTURE Auto-Ignition Temp: Not determined Decomp Temp: Not determined UFL/LFL: Not determined

# 10

## STABILITY AND REACTIVITY

**Stability:** Product is stable under normal conditions. **Conditions to Avoid:** Incompatibilities, flames, ignition sources.

Materials to Avoid: Strong acids, strong bases and strong oxidizing agents.

Hazardous Decomposition: Carbon Oxides, Formaldehyde and Silicon Oxides.

Hazardous Polymerization: Will not occur.

#### 11

### **TOXICOLOGICAL INFORMATION**

Component(s): Spa Foam Stop

CAS No(s): N/A

**Acute Toxicity:** 

Acute Toxicity Estimate: > 5,000 mg/kg

Skin Corrosion/Irritation: No data available.

Serious Eye Damage/Eye Irritation: May cause mild eye irritation.

Respiratory or Skin Sensitation: No data available.

**Germ Cell Mutagenicity:** No data available.

### Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.



# **Spa Foam Stop**

SDS Number: 293 Revision Date: 5/17/2015

Page 6 of 7

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

poterniai caroniogen by cern ii

Reproductive Toxicity: No data available.

Specific Target Organ Toxicity - Single Exposure: No data available.

Specific Target Organ Toxicity - Repeated Exposure: No data available.

Aspiration Hazard: No data available.

Additional Information: No data available.

## 12

## **ECOLOGICAL INFORMATION**

Component(s): Spa Foam Stop

CAS No(s): N/A

**Toxicity:** 

Toxicity to fish: No data available.

Toxicity to daphnia and other aquatic invertebrates:

No data available.

## Persistence and Degradability:

No data available.

### Bioaccumulative potential:

No data available.

## **Mobility in Soil:**

No data available.

### Results of PBT and vPvB assessment:

Not required/conducted.

### Other Adverse Effects:

An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## 13

### **DISPOSAL CONSIDERATIONS**

Product: Hazardous wastes shall be managed responsibly. All entities that store, transport or handle hazardous waste shall take the necessary measures to prevent risks of pollution, release into the environment or damage to people and animals. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated Packaging: Dispose of as unused product.



# **Spa Foam Stop**

SDS Number: 293 Revision Date: 5/17/2015

Page 7 of 7

14

## TRANSPORT INFORMATION

DOT (US)

Non-regulated material, liquid

**IMDG** 

Non-regulated material, liquid

**IATA** 

Non-regulated material, liquid

15

## **REGULATORY INFORMATION**

COMPONENT / (CAS/PERC) / CODES

-----

Proprietary, non-hazardous, non-regulated (N/A 100%) None - Reporting not required

REGULATORY KEY DESCRIPTIONS

\_\_\_\_\_

None - Not applicable

16

### OTHER INFORMATION

### Disclaimer:

The data in this Safety Data Sheet relates only to the specific material designated herein and does not relate to use in combination with any other material in any process. The information set forth herein is furnished free of charge and is based on technical data that BIO-DEX LABORATORIES, LLC. believes to be reliable. It is intended for use by persons having technical skill and at their own discretion and risk. Since conditions of use are outside of BIO-DEX LABORATORIES, LLC's control, BIO-DEX LABORATORIES, LLC. makes no warranties, expressed or implied, and assumes no liability in connection with any use of this information. Nothing herein is to be taken as a license to operate under, or a recommendation to infringe upon, any patents.

## **Preparation Information:**

GHS Conversion Services www.ghsconversionservices.com (414) 336-2546