

MODEL INFORMATION BOOKLET Solar Blanket Reel Systems 2021 USA



FG-AR
Auto End
1 Carton



Choose 18' or 20'


FG-BH

1 Carton

End

AUTO REEL

- Automatically rolls up the Solar Blanket in less than 1 minute
- Water Powered needs only garden hose
- Uses less than 8 gallons that goes into pool
- For in-ground & above-ground pools with full decking
- Auto End will retrofit to other FeherGuard In-ground Reels
- Fits almost any shaped pool
- · Place system across widest pool width
- Recommend 12 Mil Solar Blanket
- Choice of tubes sizes (up to 18' or 20')
- Telescoping tubeset with rib-lock design
- Wide track bearings for ease of turning
- Complete hardware kit provided
- Optional Easy-lock casters available
- Do not over-extend tubes
- 3 year "Hassle Free" warranty
- Uses L18M*, L20M* and IG20 Tubes



- Easy lock casters included
- Wide track bearings for ease of turning
- Convenience of handles at both ends
- Telescoping tubeset with rib-locking design
- Choice of tubes sizes and finishes*
- For In-ground & above-ground pools with full decking
- Complete hardware kit provided
- Fits almost any shaped pool
- Recommend 12 Mil Solar Blanket
- Place system across widest pool width
- Do not over-extend tubes
- 5 year "Hassle Free" warranty
 - * Mill tubes tarnish over time.
 Anodized tubes help reduce tarnishing.

10.5"
FG-BH

Stainless Steel

DECK ANCHOR

Available

L16M* Tube Set

Maximum extension 16'6"

72" center tube

Max. Cover 16' x 32'. Max. Weight 60 lbs. - including water retention (512 sq.')

Min. Insertion 9"

3" diameter anodized or mill* finish tube. Telescopes 13'4" to 18'6" Min. Insertion 9" Min. Insertion 9"

Min. Insertion 9"

L18 or L18M* Tube Set

80" end tube

72" end tube

Maximum extension 18'6"

80" center tube

80" end tube

72" end tube

3" diameter mill* finish tube. Telescopes 12' to 16'6"

1 Carton Max. Cover 18' x 36'. Max. Weight 60 lbs. - including water retention (650 sq.')

IG20 or L20M* Tube Set

3.5" anodized "Heavy Duty" or 3" diameter mill* finish tube. Telescopes 15' to 20'6"

Min. Insertion 12"

Maximum extension 20'6"

4" diameter anodized finish "Extra Heavy Duty" tube Telescopes 19'4" to 25'

Min. Insertion 24"

1 Carton

1 Carton

90" end tube

90" center tube

90" end tube

Max. Cover 20' x 40'. Max. Weight 60 lbs. - including water retention (800 sq.')

LC25 Tube Set

Maximum extension 25'

e 116" center tube

Max. Cover 25' x 50'. Max. Weight 75 lbs. - including water retention (1250 sq.')

Uses Blanket Handler ends with the same features as above, plus

- Extra heavy duty 4" Anodized tubeset
- Heavy duty 3" locking casters (inside tube, along with 4" tube plugs)
- Handles Large Residential and Light Commercial pools up to 25' X 50'
- Do not over-extend tubes*Requires Truck Shipment



116" end tube

FG-BH






Wheels Reel

FG-1B End 1 Carton



- 20" "Wheels" (rolls over any surface)
- Wide track bearings for ease of turning
- Convenience of handles at both ends
- Telescoping tubes with rib-locking design
- Choice of tube sizes and finishes*
- Complete hardware kit provided
- Fits almost any shaped pool
- Place at widest width of pool
- Recommend 12 mil Solar Blanket
- Do not over-extend tubes
- 5 year "Hassle Free" warranty



* Mill tubes tarnish over time. Anodized tubes help reduce tarnishing.

3" diameter Mill finish tube - extended to 16' Telescopes 12' to 16'6" Min. Insertion 9' Min. Insertion 9 L16M Tube Set ■ Maximum extension 16'6" 72" center tube 1 Carton Max. Cover 16' X 32'. Max. Weight 60 lbs. - including water retention (512 sq.') 3" diameter anodized or mill* finish tube. Telescopes 13'4" to 18'6" Min. Insertion 9" Min. Insertion 9" L18 or L18M* Tube Set □ ■ Maximum extension 18'6" 80" end tube 80" end tube 1 Carton Max. Cover 18' x 36'. Max. Weight 60 lbs. - including water retention (650 sq.') Anodized or mill* finish tubesets. Telescopes 15' to 20'6" IG20 (3.5" Diam) or L20M*(3" Diam) Tube Set Min. Insertion 12" Min. Insertion 12th ■ Maximum extension 20'6" 1 Carton 90" center tube


Max. Cover 20' x 40'. Max. Weight 60 lbs. - including water retention (800 sq.')

Low Profile * USES IG20P (PLUGGED) TUBES ONLY


FG-3 End 1 Carton

1 Carton

IG20P Tube Set



- Installation under diving board on pools with:
 - Less than 6" radius corners (square corners)
 - 10" Clearance over deck (12 mill blanket)
- Use FG3 Ends with IG20P (plugged) tubes only
- Heavy duty tube set complete with aluminum plug
- Telescoping tubes with rib-locking design
- Complete hardware kit provided
- Recommend 12 Mil Solar Blanket
- Do not over-extend tubes
- 5 Year "Hassle Free" warranty



N	Nin. Insertion 12"	Min. Insertion	12"	
	Maximum exte	ension 20'6"	20"	
tube	90" cent	er tube	90" end tube	

Max. Cover 20' x 40' Max. Weight 60 lbs. - including water retention (800 sq.')

Premium Above Groun







For above-ground pools

- "Lift off and swing away" cover removal optional feature (extra cone available)
- Wide track bearings for ease of turning
- Telescoping tubes with rib-locking design
- Choice of tubes sizes and finishes*
- Convenience of handles at both ends
- Complete hardware kit provided
- Recommend 8 Mil Solar Blanket
- Do not over-extend tubes
- 5 year "Hassle Free" warranty

* Mill tubes tarnish over time. Anodized tubes help reduce tarnishing



3" diameter mill* finish tube. Telescopes 13'4" to 18'6" Min. Insertion 9" Min. Insertion 9th L18M* Tube Set Maximum extension 18'6" 80" end tube 80" center tube 1 Carton Max. Cover 18' x 36'. Max. Cover Weight 60 lbs. - including water retention (650 sq.') FG-L24M* Tube Set 3" diameter mill finish tubes. Max. extension to 24'6" (Butt Center tubes) Min. Insertion 13" Min. Insertion 13" 1 Carton 19" joiner tube 80" center tube 80" center tube Max. Cover 24' x 36'. Max. Cover Weight 50 lbs. - including water retention (864 sq.') 3" diameter mill* finish tubes Max. extension 28'6" FG-L28M* Tube Set Butt Center tubes together over Joiner Min. Insertion 14" Min. Insertion 14" 80" end tube 80" end tube 80" end tube 1 Carton 80" center tube 80" center tube Max. Cover 28' - Round pool. Max. Cover Weight 50 lbs. - including water retention 3 1/2" diameter mill* finish Heavy Duty tubes Telescopes to 30'6" AGHD30M* Tube Set 20" Min. Insertion 20" Min. Insertion 20" Min. Insertion 20" Min. Insertion 90" end tube 1 Carton 90" end tube

Max. Cover 30'6" Round pool. Max. Cover Weight 50 lbs. - including water retention.

** Extra hardware & large plugs, etc., contained inside tube carton.

Commercial Reel S

FGC Fnd 1 Carton




Heavy duty All Aluminum Reel for Large

Residential, Condo & Commercial Pools Three sizes available for Outdoor & Indoor pools up to 30' wide

Multiple reels may be used for oversize pools

- 4" diameter heavy duty anodized tubes
- Extra rigid, telescoping tubes with rib locking design
- Stainless steel Handle, Axle & Hardware
- Commercial grade 4" locking casters
- 3 year "Hassle Free" warranty







CT20 For Pools up to 20' wide (16' to 20' wide x 90' long) Plugged tube end **Tubeset** Max. Cover Weight 125 lbs. (1800 sq.') Min. Insertion 18" Min. Insertion 18" 1 Carton Maximum extended length = 21' 94" center tube 94" end tube **CT24** For Pools up to 24' wide (20' to 24' wide x 80' long) Max. Cover Weight 125 lbs (1920 sq.') **Tubeset** Min. Insertion 24" Min. Insertion 24" 1 Carton Maximum extended length = 25 116" end tube 116" center tube 116" end tube CT30*** For Pools up to 30' wide (28' to 30' wide x 60' long) Max. Cover Weight 125 lbs. (1800 sq.') **Tubeset** 46" Min. Insertion Butt the Center Tubes Together 46" Min. Insertion 2 Cartons Maximum extended length = 31' 116" end tube 116" center tube 116" center tube 116" end tube 96" Joiner tube



USA









FG-SRE *USES SRT TUBES ONLY

End Carton

1 Carton

- For most Above-Ground pools without full decking
- Designed to roll up cover while riding on the surface of the water
- Completely portable lifts off, leaving pool surface clear
- Telescoping tubes with rib-locking design
- Mill* finish tubes to fit round pools 8'7" up to 24' wide or oval pools 8'7" to 20' wide, by 24' to 36' long
- No drilling or screws in pool top rail
- Complete hardware kit provided
- Recommend 8 Mil Solar Blanket
- Do not over-extend tubes
- 1 Year "Hassle Free" warranty

SRT18 Tube Set

80" end tube

80" center tube

Maximum Cover Width 18' (255 sq.')

maximum cover what to (200 sq.

Min. Insertion 13" (Butt Center tubes) Min. Insertion 13"

80" center tube 19" joiner tube 80" center tube 80" end tube

80" end tube 80" cer Maximum Cover Width 24' (452 sq.')

Vacuum Hose Reel (FG-VHG)


Neat and Safe storage of Vacuum Hose (stores up to 50' of 1½" vacuum hose)

• A "Snap" to assemble

SRT24 Tube Set

- Made of durable, weather resistant polymers with UV inhibitors
- Versatile also stores pool Backwash Hose, Electrical Cord, etc.
- Attractive packaging offers great retail display options






FeherGuard Products Ltd.
3153 Steeles Ave. W Milton, Ontario L9T 2V4 CANADA
Phone: 905-876-4766 Fax: 905-876-2805
Website: www.feherguard.com Contact us: info@feherguard.com

US MIB 06/21

1.67" diameter mill* tube. Telescopes 15' to 24'6"




FG-APEX


METAL ABOVE-GROUND Reel Systems

FG-APEX Ends Carton

- Extra strong metal bases to support weight of reel and solar blanket
- 3 1/2" diameter heavy gauge mill aluminum tubes for strength
- Rib lock tube design adds to rigidity
- Choice of tube length for most pool sizes
- Telescoping tubes allow for precise adjustment
- · Convenience of handle at both ends
- Includes assembly hardware kit (stainless steel screws)
- Recommended for solar blankets up to 15 mil thick
- 5 year "Hassle Free" warranty



Max. Cover 28'. Max. Weight 50 lbs. - including water retention (616 sq.')



Max. Cover 30'6" Round pool. Max. Cover Weight 50 lbs. - including water retention.

