SAFETY COVER MEASURING FORM

		CUSTOMER INFORMATION	COVER MODEL TO QUOTE									
NAME:			Arctic Armor	HPI YardGuard								
			🗆 Merlin									
CITY:		STATE: ZIP:	🗖 🖵 PolarShield									
PHONE:		:	Choo	se as many as you would like!								
	ECIFICATIO											
DRAIN TYF	PE:	PUMP IN LIEU OF DRAIN , SOLID COVERS ONLY BLUE GREEN TAN										
	NG SYSTEN		TUBES DECK MATERIAL									
		PLEASE ANSWER										
🗖 Yes		Do you want perimeter padding? (Recom		ıg)								
🗅 Yes	🗅 No	Are there any non-removable ladders, handrails, grab ro	•									
		If yes, please indicate exact location on measuring form. Who										
🗅 Yes	🗖 No	Are there any slide legs within 3-ft from the pools edge?	·									
		If yes, please indicate exact location on measuring form.										
🗅 Yes	L No	Is there a dive stand within 3-ft from the pools edge? If yes, what is the distance from the pool edge to diving board stand?										
		What is the width of the stand?										
🗅 Yes	🗖 No	Are there any grab rocks or dive rocks?										
		If yes, photos and A-B measurements are required.										
		(A-B measurements should be taken in 12" increments aroun	d rock formations.)									
🗅 Yes	🗖 No	Is there a spa? If yes, photos and A-B measurements are req	wired.									
		Is a cover required for the spa? 🗖 Yes 🗖 No 🛛 If yes, se	parate or attached to pool cover.	?								
		Is the spa raised above the deck level? $\hfill \Box$ Yes $\hfill \Box$ No $\hfill If$	yes, how high?									
		Is the spa dividing wall flush with the coping? \Box Yes \Box No	o What is the width of the divi	ng wall?								
		Does the spa have a spillway? 🗆 Yes 📮 No (Spillways mus	st be padded)									
		If yes, please indicate exact location with A-B measurements.										
🗅 Yes	🗖 No	Is there a planter or grass area? If yes, photos and A-B										
🖵 Yes	🗖 No	What is the width of the deck in this area?										
		If yes, photos and A-B measurements are required.	uns, ruiseu rock tormunons of	wulchulls:								
		Measure all points along raised area at same level as pool copi	na. (If rock formation or tight ra	dius, measure 12" increments)								
		Be sure to indicate starting point and stopping point for the ra	•									
		How high is the deck raised from the coping level?										
		Can the raised deck wall be drilled into to hold wall anchors?										
		What type of material is the wall face?										
🗅 Yes	🗖 No	Are there any special design instructions? Please specify_										
		PoolSupplyWorld Phone 800-772-046	7 Fax 602-567-3089 s	ales@poolsupplyworld.com								

MEASURING INSTRUCTIONS

STEP 1

Sketch the inside dimensions of the pool (see example) on the next page. Include all non-removable details within four (4) feet of the water line, i.e. coping (width), rocks, grab rails, waterfalls, spas, ladders, raised walls, uneven decks, planters, etc.

STEP 2

Using chalk, establish two points A and B (see example). The distance between them should be roughly 2/3 the length of the pool. (i.e. if the pool is 30 ft., make A-B line 20 ft. BE SURE TO INDICATE DISTANCE BETWEEN A & B AND SHOW LOCATION ON DRAWING. Make certain that the imaginary line between A and B and any extensions of it are at least three feet from the pools edge.

STEP 3


Make a chalk mark (number each mark) at roughly three (3) foot intervals around the entire pool. Be certain to number all corners, rail locations (front and back of rails), fill spouts, or other obstructions if they are not removable. Mark all points along spa side and pool side of diving wall. Mark areas at one (1) foot intervals when tight radius, rocks, raised walls, waterfalls, or similar obstructions are encountered. Diagrams with these types of obstructions should be accompanied by a photograph. Include width of spa wall or distance between spa and pool, if separate.

STEP 4

Attach a tape measure to point A. (Pull tape tightly on each measurement). Now measure distance from point A to point 1, then point A to point 2, and so on. List measurements in corresponding columns on the next page (see example). Move tape to point B, and measure in the same fashion; point B to point 1, and so on.

STEP 5

Pick two (2) numbered points representing the overall length of the pool at the water line (see example). List this measurement. Do the same for the overall width of the pool. These measurements are crucial as they act as check points to ensure all other measurements are correct.



FOR QUESTIONS ABOUT MEASURING, PLEASE CALL 800-772-0267.

POINT A	TO POINT F	3 DISTANCE:	

FILL IN DISTANCES IN THE BELOW COLUMNS (SEE STEP 4 ON PREVIOUS PAGE)

Point A to Point B Overall width				Overall length Point #			Point # to Point #			to Point #			
	Α	В		A	В		A	В		A	В		
1			16			31			46				
2			17			32			47				
3			18			33			48				
4			19			34			49				
5			20			35			50				
6			21			36			51				
7			22			37			52				
8			23			38			53				
9			24			39			54				
10			25			40			55				
11			26			41			56				
12			27			42			57				
13			28			43			58				
14			29			44			59				
15			30			45			60				

PoolSupplyWorld | Phone 800-772-0467 | Fax 602-567-3089 | sales@poolsupplyworld.com

CUSTOM RECTANGLE COVERS

DISTRIBUTOR INFORMATION						DEALER INFORMATION							
COMPANY NAME:						Y NAME: _							
ADDRESS:						_ COMPANY NAME:ADDRESS:							
CITY: STATE: ZIP:					CITY: STATE: ZIP:								
CONTACT:													
PHONE:	FAX	(:			PHONE:			F	AX:				
JOB TAG NAME:													
 IF YOUR POOL IS NOT PICTU COVER SPECIFICATIONS DRAIN TYPE: STRAP SPACING : 	RED BELOW, PLEAS : A MESH 5-FT. (STANI BLUE CONCRETE	SE COMPLETI DARD) ITOUTS, PLE MENTS OF (LLOW STEP TION (PLEAS	3 Ft SOLII SOLII WOO ASE DRAW F UTOUT LOCA SE MARK IN) - B MEASU D D DECK POOL IN BOX ATION.	. [) LAWN TUB	ES					
	RADIUS												
		С		E	F F	G	Н		J	K			
RECTANGLE		ХХХХ	XXXX	XXXX	ХХХХ	ХХХХ	ХХХХ	ХХХХ	ХХХХ	ХХХХ	XXXX		
GRECIAN										XXXX	XXXX		
OVAL			XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX	XXXX		
ROMAN													
LAZY-L		ļ											
TRUE-L						XXXX	XXXX	XXXX	XXXX	XXXX	XXXX		
HICLANGUI HICLAN													
	PoolSupplyW		ovaL al hossiep section conter end step. 4 uts. we must how piete A-8 measure → c ne 800-772		B NH L GEPD VERSE CORNER: Quore Xogonal Xogonal F	nches	E REVERSE	end of pool					