GRAND EFFECTSWater Planetier

OWNER'S MANUAL INSTALLATION INSTRUCTIONS

Table of Contents

Requirements	Page 3
Installation	Page 3

1.0 Requirements

1.1 Water Flow: 15-20 gpm

2.0 <u>Installation</u>

- 2.1 Install water line in middle of column (Fig. 1)
- 2.2 Secure Mounting Bracket to column (Fig. 2)
- 2.3 Set Bowl on top of Mounting Bracket and bend over tabs on Mounting Bracket to secure bowl.
- 2.4 Cut water line and attach elbow keeping the water line low in bottom of bowl.
- 2.5 Connect Elbow on water line to Grand Effects "Tee" fitting on water manifold.
- 2.6 Make sure bowl is level and adjust water flow with upstream valve.




Fig. 1




Fig. 2




Fig. 3

Grand Effects

1 year Limited Residential Warranty/6mo Commercial

Grand Effects will replace, at its expense, any unit, which in normal use, has proven to be defective in workmanship or material, provided that the customer returns the product prepaid to Grand Effects with proof of product within one year and provides Grand Effects with reasonable opportunity to verify the alleged defect by inspection. Grand Effects will not be responsible for any asserted defect, which has resulted from misuse, abuse, repair or alteration. Under no circumstances will Grand Effects be liable for incidental or consequential damage resulting from defective products. This warranty is Grand Effects' sole warranty and sets forth the customer's exclusive remedy, with respect to defective products, all other warranties, expressed or implied, whether of merchantability, fitness for purpose or otherwise, are expressly disclaimed by Grand Effects. Grand Effects is not responsible for any injury or mishap related to misuse, abuse or lack of judgment choosing fire display locations.



Contact us at:

GRAND EFFECTS

16 Technology Dr. #133 Irvine, CA 92618 Office (949) 697-5270 Fax (949) 625-8027

e-mail: info@grandeffectsinc.com