



MAINTENANCE MADE EASY



MAINTENANCE MADE EASY

CREATED FOR THE SWIMMING POOL, SPA AND HOT TUB PROFESSIONAL.



hard wired configuration



three-roller operation

- RC-25/53 SC - 12 GPD
- RC-103 SC - 32 GPD
- RC-503 SC - 72 GPD



two-roller operation (1) GPD pump only

RC-252 SC - 1 GPD



521160

3/8" Hose Barb x 3/8" Hose Barb



521170

3/8" Hose Barb x 1/4" MNPT

CHECK VALVES



527158



520113

INJECTORS

All **ROLA-CHEM** pumps come with a 1/2" brass injection fitting and a 1/4" plastic injection adapter.

Our **Pro Series** Peristaltic pumps deliver professional quality as well as features that make operation and maintenance simple. The quality is easily seen in the **Pro Series'** durable plastic construction that is resistant to swimming pool, spa and hot tub chemicals.

Some other features you will enjoy include:

- A quick release cover for fast tubing access
- Electronic controls for extended motor life
- A three-way switch control for priming, shock feeding or stopping feed without disturbing your feed-rate setting
- Self-priming pump
- Includes Clear Tygon (Chlorine) and Black Norprene (Acid or Chlorine) Tubes
- 30 psi rating
- 18-ft. suction lift
- Pumps operate on 9-minute cycles
- Available in 120V or 240V corded or permanent wire
- Maximum amps - 2.5
- **One-year limited warranty (tubing not included)**

ROLA-CHEM PRO SERIES OUTPUT RATES

MODEL	MINIMUM FEED RATE/24HR	MAXIMUM FEED RATE/24HR	RECOMMENDED POOL/SPA CHLORINE TO FEED RATE
*RC252SC	.01 GPD	1.0 GPD	UP TO 500 GALLONS
RC25/53SC	.10 GPD	12 GPD	500 - 65,000 GALLONS
RC103SC	.30 GPD	32 GPD	500 - 150,000 GALLONS
RC503SC	.80 GPD	72 GPD	150,000 - 500,000 GALLONS

ROLA-CHEM PRO SERIES ESTIMATED MAXIMUM GALLONS PER DAY

SETTINGS	ON	OFF	RC252	RC25/53	RC103	RC503
LO	4 SEC.	8 MIN. 56 SEC.	0.01	0.10	0.30	0.80
2	1.5 MIN.	7.5 MIN.	0.10	1.20	3.20	7.20
3	3 MIN.	6 MIN.	0.30	3.60	9.60	22.00
4	4.5 MIN.	4.5 MIN.	0.50	6.00	16.00	36.00
5	6 MIN.	3 MIN.	0.70	8.40	22.00	50.00
6	7.5 MIN.	1.5 MIN.	0.90	11.00	29.00	65.00
HI	8 MIN. 56 SEC.	4 SEC.	1.00	12.00	32.00	72.00
OUNCES PER MINUTE AT FULL ON			0.178	2.13	5.70	12.80

ROLA-CHEM PUMPS

ARE **US LISTED.**

DIGITAL ORP/pH CONTROLLER WALL SYSTEM



554000

Digital ORP/pH Controller

INCLUDES:

Controller, flow cell with flow switch, probes, 3/8" tubing, fittings.



TECHNICAL SPECIFICATIONS:

	pH	ORP	Feed Cycle
• Factory Setting:	7.4	650 mV	.6 sec.
• Display Range:	6.8 - 8.2	0 - 995 mV	
• Setpoint Range:	7.0 - 8.0	400 - 900 mV	
• Feed Cycles:	.6 to 900 sec with 5-minute analysis periods		
• Power:	120V corded		
• Feed:	Automatic or manual		
• Maximum Amps:	5 Amps		
• Probes:	One-year limited warranty		
• Controller:	One-year limited warranty on electronics		

Ready-To-Mount Wall System

INCLUDES:

Controller, flow cell with flow switch, probes, 40' of 3/8" tubing, fittings and 2 peristaltic pumps.

- Mounting board is pre-drilled and ready to mount on wall
- **NOTE: when ordering the Ready-To-Mount Wall System, it is necessary to order the individual component part numbers.**
- **NOTE: It is recommended that an in-line filter system be used before the flow cell.**

550158 Mounting Board ONLY

DIGITAL ORP/pH CONTROLLER FEATURES:

- Digital readouts
- ORP technology
- Redox sensor
- Proportional feed or continuous feed
- Dip switch programmable settings
- Flow switch included
- Lockout security feature
- Built-in out-of-range safety timeouts
- pH calibration
- Acid or base feed
- Microprocessor logic
- Globe flow cell with flow switch
- Compatible with most peristaltic pumps
- Can also be used with erosion feeder/solenoid applications
- Manufactured in the USA

DIGITAL pH CONTROLLER WALL SYSTEM

RECOMMENDED FOR USE WITH CHLORINE (SALT) GENERATORS



554200

Digital pH Controller

Designed to be used for pH control where Chlorine Generator (Salt System) is installed.

INCLUDES:

Controller, flow cell with flow switch, pH probe, 3/8" tubing, fittings.

- **Probes: One-year limited warranty**
- **Controller: One-year limited warranty on electronics**
- **NOTE: It is recommended that an in-line filter system be used before the flow cell**



Ready-To-Mount Wall System

INCLUDES:

Controller, flow cell with flow switch, pH probe, 40' of 3/8" tubing, fittings and peristaltic pump.

- Mounting board is pre-drilled and ready to mount on wall
- **NOTE: When ordering the Ready-To-Mount Wall System it is necessary to order the individual component part numbers**
- **NOTE: It is recommended that an in-line filter system be used before the flow cell**

550158 Mounting Board ONLY

DIGITAL pH CONTROLLER FEATURES:

- pH Monitoring from 6.8 pH to 8.2 pH with .1 pH Resolution
- Set Level from 7.0 pH to 8.0 pH
- Dosing Options from Continuous to up to 15 Minutes
- Factory Set 5 Minute Delay in Timed Feed Mode
- Factory Set High (8.0 pH) and Low (7.0 pH) Alert Levels
- Single Button Calibration
- Overfeed Alert after 30 Minutes in Continuous Feed and 30 Feed Cycles in Timed Feed Mode (Requires Hard Reset)
- Easy to Read, Sun-Bright LED Display
- Configure for Acid or Base (Jumper)
- Compact Package (Approx. 7" x 5" x 3")
- Configured for 120 VAC (Input/Output)
- Flow Switch Compatible
- Bright LED Indicators for Feed, Alert and Flow
- Manufactured in the USA

PROFESSIONAL CONTROL SYSTEMS

FOR CONTROLLING ORP AND pH LEVELS IN SWIMMING POOLS & SPAS

550180
Globe Flow Cell
made from high-
impact acrylic
with Flowswitch
**For Digital
Controller
System**



**Replacement
Valves**
7125790 1/4"
6389490 3/8"



550089
Probe
Replacement
Fitting
For Flow Cells



In-line Filter Kit for Controller Flow Cell

550590 Analog Controller System - 1/4" Quick-Connect Ends
550591 Digital Controller System - 3/8" Quick-Connect Ends

550135
pH Heavy-Duty
Probe



550136
ORP Heavy-Duty
Probe

For Digital & Analog Controller System



120 Volt Solenoid



In-line Filter



Check Valve

550290 120 Volt Solenoid Kit



**Quick Connect Valve
For Flow Cell**

550054 1/4" tubing by 1/4" MNPT
7125190 3/8" tubing by 1/4" MNPT



Tubing Connectors

550026 1/4" tubing by 1/4" MNPT
550193 3/8" tubing by 1/4" MNPT

550201
ORP Gold Tip
Probe




**Recommended
for use with
chlorine generators
(salt machines)**



Black Tubing

550027 1/4"
550194 3/8"


LIQUID SYSTEM



* Flow switch to ensure circulation to control probes and indication that pool circulation is occurring (Included in Digital Controller/Globe Flow Cell Only)

** Safety flow switch for protection of heater and to ensure dilution of chemical into pool

EROSION SYSTEM



* Flow switch to ensure circulation to control probes and indication that pool circulation is occurring (Included in Digital Controller/Globe Flow Cell Only)

** Safety flow switch for protection of heater and to ensure dilution of chemical into pool

NO MORE CLOGGED FLOWMETERS!

ROLA-CHEM'S FLOWMETERS HAVE A WIDE CHAMBER THAT GREATLY REDUCES MINERAL DEPOSITS BY ALLOWING HIGHER FLOW VOLUME.

They have been designed to be compatible with practically every existing flowmeter, so you can replace your old clogged flowmeters with these accurate, easily serviced units from **Rola-Chem**.

Rola-Chem flowmeters are built to withstand water temperatures up to 200°F and are manufactured to work with schedule 40 PVC pipe.

ACCURATE READINGS

- Our heavy-duty gasket ensures airtight seals

VISUAL INDICATOR

- Calibrated on both sides in gallons and liters per minute

SERVICEABLE


- Easily open and remove calcium deposits if necessary

FULL RANGE MOUNTING

- Side 1" to 8", vertical 1" to 8" or top 1" to 8"
Vertical mount is available in up or down reading, please specify when ordering
- Requires 3/4" diameter hole in pipe

EASY TO READ BOBBIN

- 316 stainless steel ball prevents corrosion build-up



FLOWMETER SPECIFICATIONS - MINIMUM DIMENSIONS

MODEL NO.	PIPE MATERIAL	PIPE SIZE	A* MINIMUM	B** MINIMUM	RANGE GPM	RANGE LPM	CLAMP SIZE	MOUNT POSITION
570321	PVC-GALV	1"	5"	10"	10-30	38-114	44	S, T, & V
570331	PVC-GALV	1.25"	6"	11"	15-50	57-189	44	S, T, & V
570340	COPPER	1.5"	8"	15"	20-55	76-208	44	S, T, & V
570341	PVC-GALV	1.5"	8"	15"	25-60	76-208	44	S, T, & V
570350	COPPER	2"	10"	20"	30-140	114-530	56	S, T, & V
570351	PVC-GALV	2"	10"	20"	30-150	114-568	56	S, T, & V
570360	COPPER	2.5"	13"	25"	70-245	227-927	64	S, T, & V
570361	PVC-GALV	2.5"	13"	25"	60-240	227-908	64	S, T, & V
570370	COPPER	3"	15"	30"	80-280	303-1060	64	S, T, & V
570371	PVC-GALV	3"	15"	30"	80-300	303-1136	64	S, T, & V
570380	COPPER	4"	20"	40"	120-480	454-1818	44 (2)	S, T, & V
570381	PVC-GALV	4"	20"	40"	125-500	473-1893	44 (2)	S, T, & V
570391	PVC-GALV	6"	30"	60"	250-1050	946-3975	64 (2)	S, T, & V
570401	PVC-GALV	8"	40"	80"	500-1900	1893-7192	72 (2)	S, T, & V

*A = Minimum distance from downstream elbow or restriction. **B = Minimum distance from upstream elbow or restriction.

After Part Number, Indicate Mounting: (T) = Top • (S) = Side • (V) = Vertical

FLOWMETER COMPONENTS

Cap Plug
570035



O-rings (5 req.)
570027



Universal Top
(Side & Top Mount)

Universal Top
(Vertical Mount)




PIPE SIZES:

***Copper**

- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"

***PVC**

- 1"
- 1-1/4"
- 1-1/2"
- 2"
- 2-1/2"
- 3"
- 4"
- 6"
- 8"



Side Cover
(2 req.)

#4 x 1/2"
SS Screws
(4 req.)



Exhaust
Tubes
(2 req.)



O-rings
(5 req.)



Bobbin - 316
Stainless Steel Ball
8340220



Base - Top Mount

Black Gasket - Top Mount
570068



Base - Side Mount

Black Gasket - Side Mount
570068



Base - Vertical Mount



(Top View)



(Side View)

Gasket - Vertical Mount
1-1/8" x 1-3/8"
570088

CHEMICAL TANKS

NEW



Pump not included.

SYSTEM TANK FEATURES:

- Convenient mounting of your Rola-Chem Pump on tank
- Heavy-Duty Construction - formed from high-density polyethylene
- Translucent - allows visual check of chemical level
- UV Protected - solar rays will not damage chemicals
- Convenient chemical re-fill and pick-up holes

Rola-Chem offers a range of heavy-duty tanks and covers available in 5, 15, 30, and 55 gallon sizes. They are precision molded of high-density polyethylene polymer which is highly resistant to corrosive solutions. For your convenience, tanks and lids are sold separately.

FEATURES:

- Heavy-Duty Construction - formed from high-density polyethylene
- Translucent - allows visual check of chemical level
- UV Protected - solar rays will not damage chemicals



CHEMICAL TANKS - SPECIFICATIONS

CYLINDER TANKS & COVERS		DIMENSIONS		
PART	PRODUCT DESCRIPTION	CAPACITY	HEIGHT	DIAMETER
561004	Poly Tank	5 GAL	14"	11"
561105	Poly Cover w/Cap Plug	5 GAL		
561015	Poly Tank	15 GAL	21.5"	15"
561115	Poly Cover w/Cap Plug	15 GAL		
561030	Poly Tank	30 GAL	28.5"	18"
561130	Poly Cover w/Cap Plug	30 GAL		
561005	Poly Tank	55 GAL	34"	22.5"
561155	Poly Cover w/Cap Plug	55 GAL		
561265	Poly Tank Ready For Pump	15 GAL	40.5"	15"

NEW



PARADISE POWER SPA VAC

POWER CLEAN SPAS AND POOLS!

The **Power Spa Vac** makes cleaning easy. The body is made from high-impact polymer resin. The aluminum telescopic pole allows the vacuum to be adjusted to lengths that are suitable for different height spas and pools. The DC motor operates on eight AA size batteries (batteries not included).

FEATURES:

- Easy to operate
- AA battery powered
- Quick removable filter with ultra fine stainless steel screen
- Detachable scrubbing brush
- The telescopic pole is extruded aluminum

SET-UP

- Remove Handle Cap and carefully slide battery holder out of handle to access batteries. Place batteries into holder - note positive and negative on batteries (negative side of battery toward spring).
- Check Nozzle to see that it is secure. To remove, twist and pull.
- Check Filter, Tube and Check Valve. To remove, twist and pull.

USING POWER SPA VAC

Push the Power Switch to "ON" and submerge the nozzle into water. Avoid putting the Switch below water (although it is water resistant). After cleaning, remove the filter and clean. For larger cleaning jobs you may need to clean filter before cleaning is completed (suction will be reduced as filter fills up). Replace filter and continue cleaning or store Power Spa Vac for next use.



POWER CLEAN SPAS AND POOLS!



PARADISE POWER SPA VAC - SHIPPING SPECIFICATIONS

UPC CODE	PART NUMBER	PRODUCT DESCRIPTION	CASE PACK	ACTUAL WEIGHT	UPS SHIPPING WT.	SHIPPING CTN. DIMENSIONS	CARTON CUBE	PALLET COUNT
7-57706-12401-0	NPPSV6	Power Spa Vac	6	6	6	12.4 x 15.4 x 53.1	5.85	8



PARADISE SPA VAC™

DESIGNED TO BE A SIMPLE, INEXPENSIVE SOLUTION FOR CLEANING YOUR SPA OR POOL.

FEATURES:

- Self-contained spa vacuum
- NO pumping
- NO batteries
- NO water hook-up
- Aluminum telescopic pole extends to over 7 feet
- Picks up rocks, pennies, marbles, beach sand, etc.



Paradise Spa Vac™ Blister Pack



Paradise Spa Vac™ Single Box



Paradise Spa Vac™ 6-pk. Display



Paradise Spa Vac™ 12-pk. Display




Paradise Spa Vac™

The **PARADISE SPA VAC™** is available in Blister Pack, Single Box, 6-pk. Display or 12-pk. Display configurations.

PARADISE SPA VAC

HOW IT WORKS...



STEP 1:

Place your thumb over the end cap hole, put the Paradise Spa Vac™ into your spa or pool...



STEP 4:

When you are finished cleaning, remove the lower cup assembly and empty the contents. Rinse out filter area. It's that easy!

STEP 2:

... release your thumb from the end cap...



STEP 3:

... and watch the sand, pennies, and even small pebbles easily enter the clear polycarbonate chamber.

The Paradise's Filter System traps 99.9% of all debris.



THE PARADISE SPA VAC™ IS CONSTRUCTED WITH STATE-OF-THE-ART MATERIALS AND IS LIGHT, PORTABLE, EASY TO USE AND LONG LASTING.

PARADISE SPA VAC™ - SHIPPING SPECIFICATIONS

UPC CODE	PART NUMBER	PRODUCT DESCRIPTION	CASE PACK	ACTUAL WEIGHT	UPS SHIPPING WT.	SHIPPING CTN. DIMENSIONS	CARTON CUBE	PALLET COUNT
7-57706 12400-3	NPSV6	6-pc. single boxes	6	19 O/S 1	30	12 x 9 x 59	3.69	15
7-57706 12400-3	NPSV12	12-pc. single boxes	12	33 O/S 2	70	17 x 13 x 59	7.55	8
7-57706 12400-3	NPOP6	6-pk. display	1	18 O/S 2	70	17 x 13 x 59	7.55	8
7-57706 12400-3	NPOP12	12-pk. display	1	29 O/S 2	70	17 x 13 x 59	7.55	8
7-57706 12400-3	NPSV1	1 piece boxed	1	5	5	5 x 5 x 60	0.87	N/A
7-57706 12400-3	NPSVBP6	6-pc. Knock Down Blister Pack	6	19 O/S 1	19	15-1/2 x 7-1/8 x 42-1/2	2.02	15

POOL SENTRY

M-3000 POOL SENTRY™

IT KEEPS AN EYE ON YOUR WATER LEVEL SO YOU DON'T HAVE TO.

NEW DESIGN!

M-3000 POOL SENTRY™

REINFORCED HOSE (NOT INCLUDED)



THE POOL SENTRY™ is used to maintain the water level of a pool, spa or pond automatically and unattended. When the Pool Sentry is removed from the box, it is easily assembled by threading the fill tube into the float valve. Snap the fill tube and float valve into the base and fill the base with small rocks or pea gravel. Next, snap the top cover onto the base and attach the garden hose (not included). Finally, adjust the float to the desired position.

The supply water stays on at all times when the Pool Sentry is in the pool. As the float drops, the water turns on. When the float reaches its set height, the water shuts off. The customer can adjust the float to any desired level, usually a point halfway on the tile line or skimmer.

Because the hose is under constant water pressure, it is essential that the customer uses a heavy-duty, reinforced hose. With a flyer in each box, we offer an aftermarket hose to the customers. It is rated to 200 psi working pressure and 750 psi burst strength.

FEATURES:

- Protects pool pump against burnout
- Maintains water level while on vacation
- Use for rental or vacant homes
- Fills pool after acid wash
- No tools required - simply attach hose
- Controls level in leaking pools, ponds or spas
- Unattached operation
- **COMPLETELY PORTABLE!**

M-3000 POOL SENTRY™ - SHIPPING SPECIFICATIONS

UPC CODE	PART NUMBER	PRODUCT DESCRIPTION	CASE PACK	ACTUAL WEIGHT	UPS SHIPPING WT.	SHIPPING CTN. DIMENSIONS	CARTON CUBE	PALLET COUNT
7-5770612510-9	M-3000	4 pack	4	16	16	16.5 x 15.8 x 12.5	1.90	36
7-5770612510-9	M-3000	2 pack	2	7	7	16 x 14.25 x 8.25	1.09	72
7-5770612510-9	M-3000-1	1 pack	1	4	4	16 x 12.5 x 4.25	.49	144
N/A	HOSE25	25-Foot Hose	1	5	5	12 x 12 x 6	0.5	N/A

TURBO BRUSH

A MUST FOR HOMEOWNERS AND POOL PROFESSIONALS

FEATURES:

- Effortless one-handed brushing
- 18" curved brush with synthetic bristles or combo bristles (synthetic & stainless steel mixed)
- Fin holds brush against pool wall and floor
- Slotted design reduces drag when pulling up



Turbo Brush Fin is also sold separately and fits most ordinary pool brushes.

CORNER BRUSHES

CLEANING POWER WHERE YOU NEED IT

FEATURES:

- Easily cleans corners, crevices, ledges & other hard-to-reach areas
- Available with synthetic or stainless steel bristles
- Fits pool pole or threaded broom handle
- Unique pointed bristle design
- Use for pool and spa steps, jets and lights



STAINLESS STEEL

SYNTHETIC

COMBO DISPLAY

TURBO & CORNER BRUSH - SHIPPING SPECIFICATIONS

UPC CODE	PART NO.	PRODUCT DESCRIPTION	CASE PACK	ACTUAL WEIGHT	ACTUAL/UPS SHIPPING WT.	SHIPPING CTN. DIMENSIONS	CARTON CUBE	PALLET COUNT
TURBO BRUSH								
7-57706 12720-2	PTB100	Synthetic Bristle w/Turbo Fin	1	2	2	19 x 6 x 4	0.26	N/A
7-57706 12720-2	PTB100	Synthetic Bristle w/Turbo Fin	6	8	8	19 x 15 x 6	0.99	N/A
7-57706 12730-1	PTB500	Combo Bristle w/Turbo Fin	1	3	3	19 x 6 x 4	.026	N/A
7-57706 12730-1	PTB500	Combo Bristle w/Turbo Fin	6	10	10	19 x 15 x 6	0.99	N/A
7-57706 12750-9	PTB101	Turbo Fin Only	6	3	3	20 x 5 x 5	0.29	N/A
CORNER BRUSH								
7-57706 12700-4	PCB003	Synthetic Bristles	12	5	5	13 x 13 x 5	2.45	N/A
7-57706 12710-3	PCB004	Stainless Bristles	12	6	6	13 x 13 x 5	2.45	N/A
7-57706 12700-4	PCB013	Synthetic 12-pc. Display	1	6	6	15 x 11 x 11	1.05	N/A
7-57706 12710-3	PCB014	Stainless 12-pc. Display	1	7	7	15 x 11 x 11	1.05	N/A
VARIOUS	PCB024	Synthetic/Stainless Combo Display	1	7	7	15 x 11 x 11	1.05	N/A

ULTRASHINE

ULTRASHINE & ULTRASHINE PLUS

THE ULTIMATE CLEANSERS FOR CLEANING,
POLISHING AND PROTECTING.



Ultrashine Vinyl & Leather Cleaner™

cleans, conditions and protects vinyl and leather; is excellent for spa covers, boat and auto upholstery, furniture and shoes. Simply spray on and wipe off with a soft cloth. With a fresh new leather scent, Ultrashine Vinyl & Leather Cleaner™ is available in 24-oz. pump and handy 2-oz. spray.

PERFECT FOR:

- **SPA/POOLS** – spa covers, pillows, pool covers, inflatable toys
- **Automobiles** – leather seats, floor mats, side moldings & trim, dashboards, vinyl tops, tires
- **Marine & RV** – upholstery, vinyl covers, vinyl window, motorcycle & personal watercraft seats
- **Household** – vinyl & leather furniture, handbags, shoes, patio furniture



Ultrashine Plus™ cleans, polishes and protects many types of plastic. Simply spray on, wipe off and lightly buff with a soft cloth. It can also be used on glass, chrome, marble, stainless steel and porcelain. It's great on spas, boats, personal watercraft and computer screens. Available in 24-oz. pump and handy 2-oz. spray.

PERFECT FOR:

- **SPA/POOLS** – fiberglass or acrylic spas, chrome & plastic plumbing fittings
- **Marine & RV** – fiberglass boats, personal watercraft, chrome trim, windshields, motor home/trailer siding
- **Household** – kitchen/bath sinks and countertops, eyeglasses, camera lenses, appliances, chrome fixtures

ULTRASHINE - SHIPPING SPECIFICATIONS

UPC CODE	PART NUMBER	PRODUCT DESCRIPTION	CASE PACK	ACTUAL WEIGHT	UPS SHIPPING WT.	SHIPPING CTN. DIMENSIONS	CARTON CUBE	PALLET COUNT
7-57706 12920-6	USPL24	Plus, 24 oz.	12	23	23	14 x 10 x 12	0.97	N/A
7-57706 12910-7	USPO2	Plus, 2 oz.	24	4.52	4.52	8 x 6 x 5	0.14	N/A
7-57706 13010-3	USV24	Vinyl & Leather, 24 oz.	12	23	23	14 x 10 x 12	0.97	N/A
7-57706 13000-4	USVO2	Vinyl & Leather, 2 oz.	24	4.52	4.52	8 x 6 x 5	0.14	N/A

SCUMBUG

SCUMBUG™ DEVOURS SCUM, SLIME & GRIME FROM POOLS & SPAS

Scumberg™ is insatiable! When placed in a clear pool or spa, it eliminates the formation of scumlines. Capable of absorbing up to 40 times its weight in body oils and lotions, Scumberg™ provides 300% more surface area than the ball and will not get clogged in water lines. When saturated, simply squeeze out, clean and reuse. Under normal conditions, Scumberg™ should last an average season.



ULTRA MITT

ULTRA MITT ELIMINATES SCUM, SLIME & GRIME FROM WALLS OF POOLS & SPAS

Ultra Mitt is infallible! Featuring a lightly abrasive open-hand surface permanently bonded to a durable, waterproof latex glove, Ultra Mitt provides the user with the largest scrubbing surface possible to remove even the toughest scum, slime and grime deposits. Ultra Mitt is ideal for use on fiberglass, acrylic, vinyl and tile.

SCUMBUG™ & ULTRA MITT - SHIPPING SPECIFICATIONS

UPC CODE	PART NUMBER	PRODUCT DESCRIPTION	CASE PACK	ACTUAL WEIGHT	UPS SHIPPING WT.	SHIPPING CTN. DIMENSIONS	CARTON CUBES	PALLET COUNT
SCUMBUG™								
7-92545 00001-9	TB-1-24	Single Pack - 24 units	24	1.10	2.0	12 x 9 x 6	.38	N/A
7-92545 00001-9	TB-1-48	Single Pack - 48 units	48	1.68	2.0	15 x 10 x 8	.69	N/A
7-92545 00001-9	TB-2-24	Double Pack - 24 units	24	1.94	2.0	15 x 10 x 8	.69	N/A
ULTRA MITT								
7-92545 00112-2	BM-1-12	Single Pack - 12 units	12	2.00	2.0	12 x 9 x 3	.19	N/A
7-92545 00112-2	BM-1-24	Single Pack - 24 units	24	3.59	4.0	12 x 9 x 6	.38	N/A
7-92545 00112-2	BM-1-48	Single Pack - 48 units	48	7.14	8.0	18 x 18 x 10	1.88	N/A

ULTRA SCREEN



ULTRA SCREEN SKIMMER BASKET LINER TRAPS DEBRIS, SCUM AND BUGS

Ultra Screen is incredible! Simply stretch Ultra Screen over the rim of the skimmer basket. Consisting of an extremely fine mesh material bound to a durable elastic ring, Ultra Screen prevents debris, scum and bugs from clogging the filtering system, thereby allowing for maximum water flow and extending filter life. When dirty, Ultra Screen may be removed, cleaned and reused.



ULTRA NET

ULTRA NET SPA & POOL SKIMMER NET COLLECTS POLLEN, FOAM, MINUTE INSECTS & SURFACE OILS



Ultra Net is instantaneous. So simple yet totally unique. Collects pollen, foam, minute insects & surface oils. Simply slide Ultra Net over skimming net and use in the normal manner. May be rinsed out and reused. Will fit all skimming nets measuring approximately 1 sq. ft.



ULTRA SCREEN & ULTRA NET - SHIPPING SPECIFICATIONS

UPC CODE	PART NUMBER	PRODUCT DESCRIPTION	CASE PACK	ACTUAL WEIGHT	UPS SHIPPING WT.	SHIPPING CTN. DIMENSIONS	CARTON CUBES	PALLET COUNT
ULTRA SCREEN								
7-92545 00224-2	US12	Five Pack - 12 units	12	1.93	2.0	12 x 9 x 3	.19	N/A
ULTRA NET								
7-92545 00009-5	UN12	Double Pack - 12 units	12	2.59	3.0	12 x 9 x 6	.38	N/A

ALGAE-BUGGER II

BLASTS ALGAE, DIRT AND SLIME FROM THE DEEPEST PORES.


Algae-Bugger II is indispensable! Great for cleaning sand and DE filters as well as cartridge filters. Simply attach Algae-Bugger II to a garden hose and it will blast scum lines to oblivion. Algae-Bugger II reaches the deepest pores and works on concrete, vinyl, acrylic, fiberglass and tile. Perfect for around step areas and in corners. Algae-Bugger II features a convenient on/off switch located on the handle.

FEATURES:

- High Pressure Scour Power goes where brushes can't
- Blasts algae, dirt and slime from the deepest pores
- Ideal for corners, steps, scumlines and deck areas
- Great for cleaning sand & DE filters plus cartridge filters
- Water aided cleaning brush included
- Hundreds of other uses!!!
- Attach to garden hose
- Shut off valve for easy control
- Can be tied or taped to telescopic pole for deep tile
- Caution, high-pressure water jet

Water Aided Cleaning Brush

High-Pressure Nozzle



ULTRA HANDLE

MAKES CARRYING OR HANGING HOSE EASY

Ultra Handle is invaluable! Easily hang or carry vacuum hoses. Featuring a heavy-duty adjustable hook and loop closure, Ultra Handle measures 3" x 27" for hoses measuring up to 50' x 1-1/2" in diameter.

ALGAE-BUGGER II & ULTRA HANDLE - SHIPPING SPECIFICATIONS

UPC CODE	PART NUMBER	PRODUCT DESCRIPTION	CASE PACK	ACTUAL WEIGHT	UPS SHIPPING WT.	SHIPPING CTN. DIMENSIONS	CARTON CUBE	PALLET COUNT
		ALGAE-BUGGER II						
7-92545 00334-8	ABII-12	Single Pack - 12 units	12	5.02	6.0	29-5/8 x 12.5 x 8.5	1.82	N/A
		ULTRA HANDLE						
7-92545 00006-4	HB1-24	Single Pack - 24 units	24	3.55	4.0	12 x 9 x 6	.38	N/A

ULTRA PATCH

ULTRA PATCH REPAIR MESH AND SOLID WINTER SAFETY COVERS



Ultra Patch is inseparable! Made of a durable adhesive backed material, Ultra Patch is designed to repair tears and abraded areas in mesh or solid winter safety covers. Each package contains two sheets measuring 5-3/4" x 9".

ULTRA STRIP

ULTRA STRIP

REPAIR FABRIC FOR SOLAR AND WINTER POOL COVERS



Ultra Strip is invincible! A unique solar and winter pool cover repair fabric. Made of high strength, adhesive-back woven polyethylene material, Ultra Strip is specially formulated to assure maximum adhesion. U.V. and chemical resistant, Ultra Strip measures 3"W x 5'L providing a full 180 sq. in. of repair material.

ULTRA LABELS

ULTRA LABELS

MAKES LABELING OF POOL & SPA PLUMBING EASY

Ultra Labels are identifiable. Nylon zip-tie system for easy labeling of pool and spa plumbing. Ultra Labels snap to themselves and can be unsnapped if placed incorrectly. Safe. Simple. Quick. Efficient!



ULTRA PATCH, ULTRA STRIP & ULTRA LABELS - SHIPPING SPECIFICATIONS

UPC CODE	PART NUMBER	PRODUCT DESCRIPTION	CASE PACK	ACTUAL WEIGHT	UPS SHIPPING WT.	SHIPPING CTN. DIMENSIONS	CARTON CUBE	PALLET COUNT
ULTRA PATCH								
0-92545 00060-7	BP2-6	Double Pack - 6 units	6	.73	1.0	10 x 6 x 4	.14	N/A
0-92545 00060-7	BP2-12	Double Pack - 12 units	12	1.60	2.0	10 x 6 x 4	.14	N/A
ULTRA STRIP								
7-92545 00148-1	BS1-24	Single Pack - 24 units	24	2.77	3.0	12 x 9 x 6	.38	N/A
N/A	BS3-100	Unpackaged Roll - 3" x 100'	1	1.87	2.0	5 x 5 x 5	.07	N/A
ULTRA LABELS								
0-92545 00057-7	BBS1-12	Single Pack - 12 units	12	3.63	4.0	13.5 x 10.5 x 6	.49	N/A

LIMITED WARRANTY

Rola-Chem • Paradise warrants all of its products to the original purchaser to be free from manufacturer defects in material and workmanship from the date of the original purchase for one (1) year. If this unit fails within the one (1) year period, it will be replaced or repaired (Rola-Chem • Paradise option) at no charge. This warranty does not apply to any product damage caused by improper use or if the product was altered.

Rola-Chem • Paradise, under no circumstances, shall be liable for any consequential damages directly or indirectly caused by this unit. Please observe all rules and regulations required by state and local regulations, building codes, health codes, OSHA, etc.



5858 CENTERVILLE ROAD • ST. PAUL, MN 55127-6804
PHONE: 651-653-5031 • 1-800-549-4473 • FAX: 651-653-0989
WWW.ROLA-CHEM.COM • INFO@ROLA-CHEM.COM