





TRIVAC Series
Pressure Pool Cleaner
owners manual



CARTON CONTENTS




1x



1x


TriVac 500 and 700



1x




1x





1x


CONNECTING THE TRIVAC




INSTALLING WALL FITTING




When installing or re-installing the universal wall fitting use Teflon tape on its plastic threads.



Remove plug or existing universal wall fitting from previously installed pool cleaner (if any).




Screw the universal wall fitting into the dedicated line.
(see p.4)



Connect pressure hose with the wall quick connect


DEBRIS BAG

ATTACHING DEBRIS BAG




REMOVING DEBRIS BAG

Pull the top of the debris bag frame back and then up.



CLEANING DEBRIS BAG



Full debris bag can reduce cleaner performance.



if you allow the bag to dry it will be easier to remove the debris

TRIVAC NORMAL OPERATION

The TriVac 500 (bottom/wall only) and 700 (when in bottom/wall mode) offers best in class pool coverage. Its unique AquaDrive system enables the cleaner to easily climb walls often reaching into areas such as sun shelves or benches that other pressure cleaners simply can't.


While most of the pool can be cleaned in 1 hour, 3 hours is considered normal for complete coverage of a standard pool. The cleaning cycle should be extended on pools with special features or shapes such as shelves, steps or swim-outs to allow the TriVac to fully clean all surfaces.

Please note that TriVac will not operate properly on areas where the water is less than 8" deep.

OPERATING THE TRIVAC 700


CHANGING BOTTOM TO SKIM

To skim the pool surface rotate the switch to the arrow up for the SKIM mode.





CHANGING SKIM TO BOTTOM

To clean the bottom and sides of the pool rotate the switch to the arrow down for the BOTTOM mode.




MAINTENANCE


REMOVE CLEANER FROM POOL



CLEANING THE IN-LINE FILTER



if the screen frequently becomes plugged, the filtration system is not performing properly or there is another plumbing problem.



Make sure the o-ring is in place and properly seated.

TROUBLESHOOTING

FOR TECHNICAL ASSISTANCE

CALL: 1-800-227-1477

PROBLEM	CAUSE	SOLUTION
Slow or no forward movement	Low or no water pressure	Check filtration and booster pumps, valves, cleaner connections. Check Cleaner pressure. (backwash)
Cleaner does not reach farthest point in pool	Hose too short	Add extra hose section if necessary
Cleaner unable to clear obstacles (stairs, steps...)	Hose too short	Add extra hose section
Hose frequently tangles	Float not properly placed	Check position of floats on the hose (see diagram)
	Hose too long	Check hose length
	Sweep hose not moving	Check sweep hose for holes or clogs, increase sweep hose power.
Sweep hose sprays out of pool	Sweep hose power too strong	Reduce sweep hose power
Little or no sweep hose movement	Sweep hose power too weak	Increase hose power
	Hole in sweep hose	Replace sweep hose
	Debris clogging sweep hose	Disconnect sweep hose and flush out
Trivac running on side or upside down	Heavy debris	Empty Bag
	Incorrect pressure setting	Check operating pressure
Cleaner cannot climb to the surface in TOP mode	Incorrect pressure setting	Check operating pressure
	Too much heavy debris in bag	Empty bag
Cleaner runs in small circles	Hose assembly bent	Layout in sun until straight
Cleaner get stuck on shallow area of pools (beach entry, tanning shelf...)	The sweep hose may interfere with obstacle	Operate the cleaner without the sweep hose
Cleaner inability to recover from obstacle or specific areas	The sweep hose may interfere with obstacle	Operate the cleaner without the sweep hose
	Operating pressure too low	Check operating pressure
Cleaner does not cover the entire pool	The sweep hose affects cleaning pattern of cleaner	Operate the cleaner without the sweep hose

REGISTRATION CARD

DETACH HERE: Fill out bottom portion completely and mail within 10 days of purchase/installation or register online

WARRANTY REGISTRATION CARD

Register online at www.haywardnet.com

Please Print Clearly:

First Name _____	Years Pool has been in service
Last Name _____	<input type="checkbox"/> < 1 year <input type="checkbox"/> 1-3 <input type="checkbox"/> 4-5 <input type="checkbox"/> 6-10 <input type="checkbox"/> 11-15 <input type="checkbox"/> >15
Street Address _____	Purchased from
City _____ State _____ Zip _____	<input type="checkbox"/> Builder <input type="checkbox"/> Retailer <input type="checkbox"/> Pool Service <input type="checkbox"/> Internet/Catalog
Phone Number _____ Purchase Date _____	Company Name _____
E-Mail Address _____	Address _____
Serial Number _____	City _____ State _____ Zip _____
Model Number _____	Phone _____
Pool Capacity _____ (U.S. Gallons)	Type of Pool:
<input type="checkbox"/> Please include me on all e-mail communications regarding Hayward® Equipment or promotions.	<input type="checkbox"/> Concrete/Gunite <input type="checkbox"/> Vinyl <input type="checkbox"/> Fiberglass
Mail To: Hayward Pool Products, 620 Division Street, Elizabeth, NJ 07207	Other _____
Attn: Warranty Dept	<input type="checkbox"/> New Installation <input type="checkbox"/> Replacement
or REGISTER YOUR WARRANTY ON-LINE AT WWW.HAYWARDNET.COM	Installation for:
	<input type="checkbox"/> In Ground <input type="checkbox"/> Above Ground <input type="checkbox"/> Spa

Thank you for your purchase.